



关于我们

ABOUT COMPANY

Shenzhen HengTongXing Techonology Co.,Ltd has already specialized in the production and customization of non-standard molds accessories for over 20+years in Shenzhen, China.Our main products include hardware,plastic mold accessories,machined parts,test fixtures,and a series of O E M non-standard parts processed according to drawings.All of these molds accessories are widely used for high-precision hardware,plastic,cars,communications,electronics,machines,and die-casting,etc.All our products are passed five strict quality inspections by Q A to ensure that the qualification rate reaches 98% when shipment.

We have professional engineer support,high efficiency sales team and competitive price superiority,all of which attract customers from all over the world.We export to over 40 countries,includingUSA,Iraq,Russia,Israel,Cameroon,Malaysia,Angola,Kazakhstan,Qatar,Morocco,Australia,Algeria,and Vietnam,etc.After more than eighteen years' development,we have achieved great progress.We are equipped with four workshops,over 60processing equipmentimported from Japan,and over 20 sets of special testing equipment including 3-dimensional high-end inspection instruments and full CNC testing so that our product can guarantee one hundred thousand punches without fracture,0 die change,which can increase output and reduce labor.

Our R&D department provide the strong technical support and enable us to receive all kinds of O E M, O D M projects. We can produce at least 10,000pcs molds per day.


This factory is HTX in China.We are a reliable supplier of non-standard molds accessories with 20+years official warranty.Our shared belief is that HTX could be the best mould factory in the world.We sincerely hope to cooperate with you!

深圳市恒通兴科技有限公司是位于中国深圳，20多年专注非标模具配件的生产与订制！我们主营五金、塑胶模具配件、机加工零件、检测治具夹具、及一系列按图定制的OEM非标件。这些配件可以广泛用于高精度五金、塑胶、汽车、通讯、电子，机械设备，压铸等。我们所有加工出来的产品都通过了5道品检部严格检测，确保出货品质合格率达98%以上。

我们通过专业的工程师队伍，高效的销售团队以及具有优势的价格吸引了来自于全球各地的客户。我们出口国家超过了40个，其中包括美国、伊拉克、俄罗斯、以色列、喀麦隆、马来西亚、安哥拉、哈萨克斯坦、卡塔尔、摩洛哥、澳大利亚、阿尔及利亚、越南。经过十几年的发展，我们取得了很大的进步，配有4个工厂，60多台日本进口加工设备，包括3次元高端检验仪器在内20多种检测设备，以及全程数控，所以我们的产品可以保证十万冲次不断裂，0换模，增加产量，减少人工。我们的工程部门提供强有力的技术支持，使我们能够接受各种非标件定制。我们可以在一天加工出10,000件非标配件。

我们共同的信念是做中国乃至全世界最好的模具配件。

我们是拥有20多年官方授权的可靠非标模具配件供应商。我们期待与您的合作！

Tf
Yellow
50% Extremely Light Load



Tl
Blue
40% Light Load



Tm
Red
32% Medium Load



Th
Green
24% Heavy Load



Tb
Brown
20% Extreme Load


注
NOTE

以上只是部分型号，我们可以根据客户的需求进行量身定制。
Note: The above is only part of the model, We could customized according to customer's requirements.

TF

极轻负荷

Extremely light load



长度Length (L)

mm	10	15	20	25	30	35	40	45	50	55	60	65
Inch	0.3937	0.5906	0.7874	0.9843	1.1811	1.3780	1.5748	1.7717	1.9685	2.1654	2.3622	2.5591
mm	70	75	80	85	90	95	100	125	150	200	250	300
Inch	2.7559	2.9528	3.1496	3.3465	3.5433	3.7402	3.9370	4.9213	5.9055	7.8740	9.8425	11.8110

外径 (D) External Diameter (D)		线厚 (H) Linear Thickness (H)		空距 (G) Gap (G)	
mm	Inch	mm	Inch	mm	Inch
6	0.2362	0.7	0.0276	0.9	0.0354
8	0.3150	0.8	0.0315	1.1	0.0433
10	0.3937	1.0	0.0394	1.5	0.0591
12	0.4724	1.2	0.0472	1.6	0.0630
14	0.5512	1.4	0.0551	2.1	0.0827
16	0.6299	1.6	0.0630	1.9	0.0748
18	0.7087	1.6	0.0630	2.0	0.0787
20	0.7874	1.8	0.0709	2.4	0.0945
22	0.8661	2.0	0.0787	2.9	0.1142
25	0.9843	2.3	0.0906	3.3	0.1299
27	1.0630	2.4	0.0945	3.5	0.1378
30	1.1811	2.6	0.1024	3.8	0.1496
35	1.3780	3.0	0.1181	4.5	0.1772
40	1.5748	3.5	0.1378	5.6	0.2205
50	1.9685	4.2	0.1654	6.5	0.2559
60	2.3622	5.2	0.2047	7.8	0.3071
70	2.7559	6.3	0.2480	8.7	0.3425


注
NOTE

以上只是部分型号，我们可以根据客户的需求进行量身定制。

Note: The above is only part of the model, We could customized according to customer's requirements.

TL

轻负荷
Light load



长度Length (L)

mm	10	15	20	25	30	35	40	45	50	55	60	65
Inch	0.3937	0.5906	0.7874	0.9843	1.1811	1.3780	1.5748	1.7717	1.9685	2.1654	2.3622	2.5591
mm	70	75	80	85	90	95	100	125	150	200	250	300
Inch	2.7559	2.9528	3.1496	3.3465	3.5433	3.7402	3.9370	4.9213	5.9055	7.8740	9.8425	11.8110

外径 (D) External Diameter (D)		线厚 (H) Linear Thickness (H)		空距 (G) Gap (G)	
mm	Inch	mm	Inch	mm	Inch
6	0.2362	1.8	0.0709	0.8	0.0315
8	0.3150	1.1	0.0433	1.0	0.0394
10	0.3937	1.1	0.0433	1.4	0.0551
12	0.4724	1.4	0.0551	1.5	0.0591
14	0.5512	1.5	0.0591	1.7	0.0669
16	0.6299	1.9	0.0748	1.9	0.0748
18	0.7087	2.0	0.0787	2.2	0.0866
20	0.7874	2.1	0.0827	2.4	0.0945
22	0.8661	2.4	0.0945	2.2	0.0866
25	0.9843	2.7	0.1063	3.0	0.1181
27	1.0630	2.9	0.1142	3.2	0.1260
30	1.1811	3.2	0.1260	3.8	0.1496
35	1.3780	3.6	0.1417	3.9	0.1535
40	1.5748	4.1	0.1614	5.7	0.2244
50	1.9685	5.0	0.1969	5.3	0.2087
60	2.3622	6.4	0.2520	5.9	0.2323
70	2.7559	7.6	0.2992	7.2	0.2835


注
NOTE

以上只是部分型号，我们可以根据客户的需求进行量身定制。

Note: The above is only part of the model, We could customized according to customer's requirements.

TM

中等负荷
Medium load



长度Length (L)

mm	10	15	20	25	30	35	40	45	50	55	60	65
Inch	0.3937	0.5906	0.7874	0.9843	1.1811	1.3780	1.5748	1.7717	1.9685	2.1654	2.3622	2.5591
mm	70	75	80	85	90	95	100	125	150	200	250	300
Inch	2.7559	2.9528	3.1496	3.3465	3.5433	3.7402	3.9370	4.9213	5.9055	7.8740	9.8425	11.8110

外径 (D) External Diameter (D)		线厚 (H) Linear Thickness (H)		空距 (G) Gap (G)	
mm	Inch	mm	Inch	mm	Inch
6	0.2362	1.0	0.0394	0.7	0.0276
8	0.3150	1.2	0.0472	0.8	0.0315
10	0.3937	1.3	0.0512	1.0	0.0394
12	0.4724	1.7	0.0669	1.4	0.0551
14	0.5512	1.8	0.0709	1.6	0.0630
16	0.6299	2.1	0.0827	1.8	0.0709
18	0.7087	2.4	0.0945	1.9	0.0748
20	0.7874	2.7	0.1063	2.2	0.0866
22	0.8661	3.0	0.1181	2.0	0.0787
25	0.9843	3.1	0.1220	2.6	0.1024
27	1.0630	3.3	0.1299	2.9	0.1142
30	1.1811	4.0	0.1575	3.0	0.1181
35	1.3780	4.6	0.1811	2.7	0.1063
40	1.5748	5.0	0.1969	4.3	0.1693
50	1.9685	6.6	0.2598	4.5	0.1772
60	2.3622	7.6	0.2992	5.3	0.2087
70	2.7559	9.3	0.3661	7.8	0.3071


注
NOTE

以上只是部分型号，我们可以根据客户的需求进行量身定制。

Note: The above is only part of the model, We could customized according to customer's requirements.

TH

重负荷
Heavy load



长度Length (L)

mm	10	15	20	25	30	35	40	45	50	55	60	65
Inch	0.3937	0.5906	0.7874	0.9843	1.1811	1.3780	1.5748	1.7717	1.9685	2.1654	2.3622	2.5591
mm	70	75	80	85	90	95	100	125	150	200	250	300
Inch	2.7559	2.9528	3.1496	3.3465	3.5433	3.7402	3.9370	4.9213	5.9055	7.8740	9.8425	11.8110

外径 (D) External Diameter (D)		线厚 (H) Linear Thickness (H)		空距 (G) Gap (G)	
mm	Inch	mm	Inch	mm	Inch
6	0.2362	1.0	0.0394	0.6	0.0236
8	0.3150	1.3	0.0512	0.8	0.0315
10	0.3937	1.5	0.0591	1.1	0.0433
12	0.4724	2.0	0.0787	1.2	0.0472
14	0.5512	2.5	0.0984	1.4	0.0551
16	0.6299	2.7	0.1063	1.6	0.0630
18	0.7087	3.2	0.1260	1.6	0.0630
20	0.7874	3.5	0.1378	1.7	0.0669
22	0.8661	3.6	0.1417	1.9	0.0748
25	0.9843	4.1	0.1614	2.1	0.0827
27	1.0630	4.5	0.1772	2.4	0.0945
30	1.1811	4.8	0.1890	2.6	0.1024
35	1.3780	5.6	0.2205	3.0	0.1181
40	1.5748	6.4	0.2520	3.0	0.1181
50	1.9685	8.1	0.3189	4.5	0.1772
60	2.3622	9.3	0.3661	5.6	0.2205


注
NOTE

以上只是部分型号，我们可以根据客户的需求进行量身定制。

Note: The above is only part of the model, We could customized according to customer's requirements.

TB

极重负荷
Extreme load



长度Length (L)

mm	10	15	20	25	30	35	40	45	50	55	60	65
Inch	0.3937	0.5906	0.7874	0.9843	1.1811	1.3780	1.5748	1.7717	1.9685	2.1654	2.3622	2.5591
mm	70	75	80	85	90	95	100	125	150	200	250	300
Inch	2.7559	2.9528	3.1496	3.3465	3.5433	3.7402	3.9370	4.9213	5.9055	7.8740	9.8425	11.8110

外径 (D)
External Diameter (D)

线厚 (H)
Linear Thickness (H)

空距 (G)
Gap (G)

外径 (D)		线厚 (H)		空距 (G)	
mm	Inch	mm	Inch	mm	Inch
6	0.2362	1.1	0.0433	0.6	0.0236
8	0.3150	1.8	0.0709	0.65	0.0256
10	0.3937	1.9	0.0748	0.9	0.0354
12	0.4724	2.3	0.0906	1.0	0.0394
14	0.5512	2.8	0.1102	1.3	0.0512
16	0.6299	3.4	0.1339	1.4	0.0551
18	0.7087	3.7	0.1457	1.5	0.0591
20	0.7874	4.1	0.1614	1.6	0.0630
22	0.8661	4.5	0.1772	1.6	0.0630
25	0.9843	4.9	0.1929	1.8	0.0709
27	1.0630	5.5	0.2165	2.1	0.0827
30	1.1811	5.7	0.2244	2.2	0.0866
35	1.3780	7.0	0.2756	2.5	0.0984
40	1.5748	7.8	0.3071	2.8	0.1102
50	1.9685	9.2	0.3622	4.0	0.1575
60	2.3622	10.8	0.4252	5.8	0.2283

注
NOTE

以上只是部分型号，我们可以根据客户的需求进行量身定制。

Note: The above is only part of the model, We could customized according to customer's requirements.